

MSSH/PPA/909

MAY 26, 2020

Delhi Pollution Control Committee
4th Floor, ISBT Main Building
Kashmere Gate
Delhi - 110006.

P 01/06/2020

(ENQUIRY COUNTER)
DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject : Annual Report

Dear Sirs,

We are enclosing herewith Annual Report in Form-IV and Form I pertaining to generation and disposal of bio-medical waste at our hospital, Max Multi Speciality Centre (a unit of Max Healthcare Institute Ltd.), A-2, 3, & 4, Netaji Subash Place, Wazirpur District Centre, New Delhi-110034 for the period from 01.01.2019 to 31.12.2019.

We are also enclosing herewith original Yearly Collection Report for the year 2019 issued by Biotic Waste Solution Pvt Ltd.

Thanking you

Yours faithfully
For Max Multi Speciality Centre, Pitampura
(a unit of Max Healthcare Institute Limited)

Debi Nandi
AG
Max Multi Sp
HB Twin T-
Dist-
Pitampura
Wazirpur
110 034

Encl. : as above

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


S No.	Particulars																																									
1.	Particulars of the Occupier																																									
	(i) Name of the authorised person (occupier or operator of facility)	Debobrata Nandi																																								
	(ii) Name of HCF or CBMWTF	Max Multi Specialty Centre																																								
	(iii) Address for Correspondence	HB Twin tower, A2,3 and 4 Netaji Subash place, Dist centre, Pitampura Delhi-110034																																								
	(iv) Address of Facility	HB Twin tower, A2,3 and 4 Netaji Subash place, Dist centre, Pitampura Delhi-110034																																								
	(v) Tel. No, Fax. No	2715884																																								
	(vi) E-mail ID	ramachandran@maxhealthcare.com																																								
	(vii) URL of Website	https://www.maxhealthcare.com																																								
	(viii) GPS coordinates of HCF or CBMWTF																																									
	(ix) Ownership of HCF or CBMWTF	Private Hospital																																								
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No. Valid upto:- DPCC/BMW/AUTH/NEW/NO/DRAFT/2018/39 1																																								
	(xi) Status of Consents under Water Act and Air Act	Valid up to :- 26-12-2023																																								
2.	Type of Health Care Facility																																									
	(i) Bedded Hospital	No. of Beds : 2 Beds																																								
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)																																									
	(iii) License number and its date of expiry	DPCC/BMW/AUTH/NEW/NO/DRAFT/2018/39 1(26-12-2023)																																								
3.	Details of CBMWTF																																									
	(i) Number healthcare facilities covered by CBMWTF																																									
	(ii) No of beds covered by CBMWTF																																									
	(iii) Installed treatment and disposal capacity of CBMWTF	_____ Kg per day																																								
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day																																								
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 252.99 kg Red Category : 604.66 kg White: 57.9 kg Blue Category : 100.1 kg General Solid waste: 5000 kg																																								
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility																																									
	(i) Details of the on-site storage facility	Size : 87 sqft Capacity : 1012 kg Provision of on-site storage : (cold storage or any other provision)																																								
	(ii) Details of the treatment or disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th><th>No of units</th><th>Capacity Kg/ day</th><th>Quantity treated or disposed in kg per annum</th></tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep burial pits</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits			
Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum																																							
Incinerators																																										
Plasma Pyrolysis																																										
Autoclaves																																										
Microwave																																										
Hydroclave																																										
Shredder																																										
Needle tip cutter or destroyer																																										
Sharps encapsulation or concrete pit																																										
Deep burial pits																																										


Debobrata Nandi
 AGM - Unit Head
 Max Multi Specialty Centre, Pitampura
 HB Twin Tower, Near TV Tower Wazirpur
 District Centre, New Delhi - 110 034

		Chemical disinfection			
		Any other treatment equipment			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA												
	(iv) No of vehicles used for collection and transportation of biomedical waste	:													
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <tr> <th></th><th>Quantity generated</th><th>Where disposed</th></tr> <tr> <td>Incineration</td><td></td><td></td></tr> <tr> <td>Ash</td><td></td><td></td></tr> <tr> <td>ETP Sludge</td><td>NA</td><td></td></tr> </table>		Quantity generated	Where disposed	Incineration			Ash			ETP Sludge	NA	
	Quantity generated	Where disposed													
Incineration															
Ash															
ETP Sludge	NA														
	(vi) Name of the Common BioMedical Waste Treatment Facility Operator through which wastes are disposed of	:	Biotic Waste Solutions Pvt Ltd												
	(vii) List of member HCF not handed over bio-medical waste	:	NA												
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes												
7.	Details trainings conducted on BMW														
	(i) Number of trainings conducted on BMW Management.	:	12												
	(ii) Number of personnel trained	:	11												
	(iii) Number of personnel trained at the time of induction	:	NIL												
	(iv) Number of personnel not undergone any training so far	:	NA												
	(v) Whether standard manual for training is available?	:	Yes												
	(vi) Any other information	:													
8.	Details of the accident occurred during the year	:													
	(i) Number of Accidents occurred	:	NIL												
	(ii) Number of the persons affected	:	NIL												
	(iii) Remedial Action taken (Please attach details if any)	:	Na												
	(iv) Any Fatality occurred, details.	:	No												
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Yes												
10.	Details of Continuous online emission monitoring systems installed	:	Na												
11.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Na												
12.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Yes												
13.	Any other relevant information.	:													

Certified that the above report is for the period from 01.01.2019 to 31.12.2019.


Debobrata Nandi
 AGM - Unit Head
 Max Multi Speciality Centre, Pitampura
 HB Twin Tower, Near TV Tower Wazirpur
 District Centre, New Delhi - 110 034

Date:
 Place:

FORM – 1
(See rule 4 (O), 5 5 (I) And 15 (2))
ACCIDENT Reporting

1. Date and time Accident :- NIL
2. Type of Accident :- NIL
3. Sequence of events leading to accident :- NIL
4. Has the authority been informed immediately :- NIL
5. The type of waste involved in accident :- NIL
6. Assessment of the effect of accident in human health and the environment :- NIL
7. Emergency Measure taken :- NIL
8. Steps taken to alleviate the effect of accident :- NIL
9. Steps taken to prevent the recurrent of such an accident :- NIL
10. Does you facility has an emergency control police ? If yes given details :- Yes

Date:- 26-May-2020 (Reporting period –FY-Jan 19 to Dec 19)

Place:- Max Super Specialty Hospital


Signature **Debobrata Nandi**
AGM - Unit Head
Designation: Gm(Ops.), Pitampura
Max Super Specialty Hospital, Pitampura
HB Twin Tower, Near TV Tower Wazirpur
District Centre, New Delhi - 110 034

ANNUAL REPORT 2019.

NAME:- Max Multi Speciality Centre (A Unit Of Max Healthcare Institute Limited)

Address:- HBT - Twin Tower Near TV Tower, Pitampura Wazirpur Distt. Centre, Delhi-110034

ID No-1205

	Red Autoclave (Infected Plastic Waste)		Yellow- Incineration (Anatomical Waste & Soiled Waste)		Blue Autoclave (Glass- Bottles)		White- Sharp		Total Bags	Total Weight (In KG's)
	No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight in KG's		
Permitted KG- 6 kg /day total		2/day		6 kg /per day		2 kg/day		2 kg /day		
Jan-19	71	46.6	49	25.59	12	10.22	5	3.74	137	86.15
Feb-19	67	51.8	47	19.11	8	6.15	7	3.8	129	80.86
Mar-19	70	47.03	52	22.01	12	10.74	7	4.3	141	84.08
Apr-19	75	52.22	52	18.65	11	8.64	7	5.08	145	84.59
May-19	74	52.25	49	18.22	10	12.21	6	4.63	139	87.31
Jun-19	65	40.3	43	17.45	9	10.31	8	5.29	125	73.35
Jul-19	67	44.6	42	18.18	8	8.87	7	5.49	124	77.14
Aug-19	60	31.662	48	17.62	6	6.45	5	5.14	119	60.87
Sep-19	66	48.33	42	30.67	9	11.03	7	7.45	124	97.48
Oct-19	40	36.44	39	27.35	3	4.71	8	7.55	90	76.05
Nov-19	39	34.44	29	17.48	2	2.38	2	3.84	72	58.14
Dec-19	41	118.99	34	20.66	5	8.39	2	1.6	82	149.64
YTD	735	604.662	526	252.99	95	100.1	71	57.91	1427	1015.662



Bio Medical Committee meeting:- Date:- 02.06.20	
Chairperson :-	Debabrata Nandi
Infection control nurse	Jincy PT
Hosuekeeping	Bharti Kumari
Quality	Smita Saxena

MINUTES OF MORNING MEETING	
BMW segregation audit to be done	Responsibility Jincy PT
BMW post to place in every area (in BMW Generation Area)	Ms Bharti
Broken Dustbin to be placed	Bharti

Debabrata Nandi
 AGM - In-charge
 Max Multi Speciality Centre, Pitampura
 HB Twin Tower, Near TV Tower Wazirpur
 District Centre, New Delhi - 110 034

Max Multi Speciality Centre, Pitampura

HB Twin Towers, Netaji Subhash Place, Near TV Tower, Wazirpur District Centre, Pitampura, New Delhi - 110 034
 For patient related queries or appointment, call: +91-11-4735 1844

Max Healthcare Institute Limited

(CIN: U72200MH2001PLC322854)

Regd. Office: 167, Floor 1, Plot-167A, Ready Money Mansion, Dr. Annie Besant Road, Worli, Mumbai-400 018

Phone: +91- 22-6660 4447/48/49, E-mail: secretarial@maxhealthcare.com

www.maxhealthcare.in