

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Received-
Abhishek
27/01/17

Sl. No	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or : operator of facility)	:	Sunil Mehta CGM) OPD: Bathinda
	(ii) Name of HCF or CBMWTF	:	Max Super Speciality Hospital
	(iii) Address for Correspondence	:	NH-64, Near Civil Hospital, Mansa Road, Bathinda, 151001
	(iv) Address of Facility	:	Bathinda
	(v) Tel. No, Fax. No	:	0164-6601183 (Phone) 0164-6601555 (Fax)
	(vi) E-mail ID	:	
	(vii) URL of Website	:	—
	(viii) GPS coordinates of HCF or CBMWTF	:	—
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:valid up to.....
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: Water - 31.03.2017 Air - 31.03.2019
2.	Type of Health Care Facility	:	Hospital
	(i) Bedded Hospital	:	No. of Beds: 200
	(ii) Non-bedded hospital	:	—

	(Clinic or Blood Bank or Research Institute or Laboratory or Veterinary Hospital or any other)		—
	(iii) License number and its date of expiry		—
3.	Details of CBMWTF.	:	—
	(i) Number healthcare facilities covered by CBMWTF	:	—
	(ii) No of beds covered by CBMWTF	:	—
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	— Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	— Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category - 273.85 kg. Red Category : 432.70 kg. White: 109.79 kg. Blue Category : 255.09 kg. General Solid waste: —
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 10x15 Capacity : 150 kg. Provision of on-site storage any other provision (cold storage or ☒)

Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators Plasma Pyrolysis Autoclaves ✓ Microwave Hydroclave Shredder Needle tip cutter or destroyer ✓ Sharps ✓ encapsulation or concrete pit Deep burial pits: Chemical 10% Sodium hypochlorite disinfection: Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.				Red Category (like plastic, glass etc.) N.A.
(iv) No of vehicles used for collection and transportation of biomedical waste				
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity generated	Where disposed
	Incineration Ash ETP Sludge		N.A.	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of				Medicare Environmental Management Pvt. Ltd.
(vii) List of member HCF not handed over bio-medical waste.				N.A.
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period				Yes
7 Details trainings conducted on BMW				Weekly
(i) Number of trainings conducted on BMW Management.				

(i) number of personnel trained		40
(ii) number of personnel trained at the time of induction		40
(iii) number of personnel not undergone any training so far		NO
(iv) whether standard manual for training is available?		weekly
(v) any other information)		—
Details of the accident occurred during the year		—
(i) Number of Accidents occurred		—
(ii) Number of the persons affected		—
(iii) Remedial Action taken (Please attach details if any)		—
(iv) Any Fatality occurred, details.		—
Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		—
Details of Continuous online emission monitoring systems installed		—
(vi) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		10%. Sodium hypochloride treated.
(vii) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		—
(viii) Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

certified that the above report is for the period from

1st Jan 2016 to 31st Dec 2016.

Name and Signature of the Head of the Institution

MR. SUNIL MEHTA

Date 27/1/17

Place Bathinda

Received:
Abhinav
27/1/17