



MAX
Healthcare

Date 11-04-2023

To

The Regional Environmental Engineer,
Punjab Pollution Control Board,
DAC, Complex, Bathinda (Punjab)

**Subject: Submission of Annual Report for Biomedical Waste Generated in
Max Super Specialty Hospital, a unit of Home Trail Buildtech Private Ltd.
Bathinda (January 2022 to December 2022)**

Ref- Authorization no.-BMW/RENEWAL/BTI/2023/20620763 dated 11.04.2023

Sir,

Kindly refer to your letter no BMW/RENEWAL/BTI/2023/20620763 dated 11.04.2023 authorizing our hospital to generate, collect, store and dispose of Bio-Medical Waste.

As per the "The Bio Medical Waste Management Rule 2016" we are enclosing the report of the Bio Medical Waste generated in Max Super Specialty Hospital, a unit of Home trail Buildtech Private Ltd. Bathinda for the year 2022

Thanking You


Sincerely

For Max Super Specialty Hospital Bathinda


Mr. Mohammad Uzair Shah

GM Operations

(Authorized Signatory)



Max Super Specialty Hospital, Bathinda
(A unit of Hometrail Buildtech Pvt. Ltd.)
NH - 64, Near District Civil Hospital,
Mansa Road, Bathinda, Punjab - 151 001
For medical service queries or appointments,
call: +91-164 521 2000

www.maxhealthcare.in

Hometrail Buildtech Pvt. Ltd.
Regd. Office: N - 110, Panchsheel Park,
New Delhi - 110 017
T: +91-11 4609 7254
E: secretarialhbpil@maxhealthcare.com

(CIN: U45400DL2008PTC176962)



H-2014-230
Jun 12, 17 - Dec 11, 20
Since Jun 12, 2014

Form IV (Seerule13)
ANNUAL REPORT

[To be submitted to on or before 30th June every year for the period from January to December of the preceding year, by the occupier of healthcare facility (HCF) or common biomedical waste treatment facility (CBWTF)]

S.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or: operator of facility)	:	Mr. Mohammad Uzair Shah
	(ii) Name of HCF or CBMWTF	:	Max Super Specialty Hospital, Bathinda - A unit of Home trail Buildtech Pvt. Ltd. N-64, Mansa Road, Near Civil Hospital, Bathinda, Punjab - 151001
	(iii) Address for Correspondence	:	N-64, Mansa Road, Near Civil Hospital, Bathinda, Punjab - 151001
	(iv) Address of Facility	:	N-64, Mansa Road, Near Civil Hospital, Bathinda, Punjab - 151001
	(v) Tel.No, Fax. No	:	+91-164-521 2000
	(vi) E-mail ID	:	Uzair.Shah@maxhealthcare.com
	(vii) URL of Website	:	www.maxhealthcare.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Public Partnership (PPP Mode) (State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorizations No : BMW/RENEWAL/BTI/2023/20620763 valid up to 31/03/2025
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to : Air Act :31/03/2025 Water Act :31/03/2025
2.	Type of Health Care Facility	:	Corporate Hospital
	(i) Bedded Hospital	:	No of Beds- 200(1 Dental Chair & 5 OT

Max Super Specialty Hospital, Bathinda
(A unit of Hometrail Buildtech Pvt. Ltd.)
NH - 64, Near District Civil Hospital,
Mansa Road, Bathinda, Punjab - 151 001
For medical service queries or appointments,
call: +91-164 521 2000

Hometrail Buildtech Pvt. Ltd.
Regd. Office: N - 110, Panchsheel Park,
New Delhi - 110 017
T: +91-11 4609 7254
E: secretarialhbpl@maxhealthcare.com



MAX

Healthcare (Clinic or Blood Bank or Clinically or Research Institute or Veterinary Hospital or any other)		Lab orator	NA
(iii) License number and its date of expiry			
3.	Details of CBMWTF	:	NA
	(i) Number health care facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA _____ Kg per day
	(iv) Quantity of bio-medical waste treated or disposed By CBMWTF	:	NA _____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category Details Attached Red Category: Details Attached White: Details Attached Blue Category: Details Attached General Solid waste: 7850 KG
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
(i) Details of the site storage facility		:	Size : NA Capacity : NA Provision of on-site storage : (cold storage or Any other provision)

Max Super Speciality Hospital, Bathinda
(A unit of Hometrail Buildtech Pvt. Ltd.)
 NH - 64, Near District Civil Hospital,
 Mansa Road, Bathinda, Punjab - 151 001
 For medical service queries or appointments,
 call: +91-164 521 2000

www.maxhealthcare.in

Hometrail Buildtech Pvt. Ltd.
 Regd. Office: N - 110, Panchsheel Park,
 New Delhi - 110 017
 T: +91-11 4609 7254
 E: secretarialhbpl@maxhealthcare.com

(CIN: U45400DL2008PTC176962)



H-2014-230
 Jun 12, 17 - Dec 11, 20
 Since Jun 12, 2014



MAX

Healthcare

	Disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Need letipcutter or destroyer			
	BMW Management.					
			er Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:		- - -	
	(iii) Quantity of recyclable wastes Sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)	NA		
	(iv) No of vehicles used for collection And transportation of bio medical waste	:	1			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge	Quantity generated	Where disposed	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Med Waste Solutions Pvt. Ltd. Village Bidawal, tehsil Gidderbaha, Distt Sri Muktsar Sahib.			
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes, Attached			
7	Details trainings conducted on BMW		Attached			
	(1) Number of trainings conducted on		Hometrail Buildtech Pvt. Ltd.			

Max Super Speciality Hospital, Bathinda
(A unit of Hometrail Buildtech Pvt. Ltd.)
NH - 64, Near District Civil Hospital,
Mansa Road, Bathinda, Punjab - 151 001
For medical service queries or appointments,
call: +91-164 521 2000

Hometrail Buildtech Pvt. Ltd.
Office: N - 16, Panchsheel Park,
New Delhi - 110 017
T: +91-11 4609 7254
E: secretarialhbp1@maxhealthcare.com





MAX

Healthcare


	(i) number of personnel trained	217
	(ii) number of personnel trained at The time of induction	45
	(iv) number of personnel not Under gone any training so far	NIL
	(v) whether standard manual for Training is available ?	Yes
	(vi) any other information)	N/A
8	Details of the accident occurred During the year	
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please Attach details if any)	N/A
	(iv) Any Fatality occurred, details.	N/A
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A
	Details of Continuous on line mission Monitoring systems installed	N/A
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a year?	Yes, Liquid waste generated is being treated through STP and ETP. NIL
11	Is the disinfection method or Sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes, Nil
12	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2022 to December 2022

.....

Name and Signature of the Head of the Institution

Mr. Mohammad
 Uzair Shah
 GM Operations



Date:
 Place

Max Super Speciality Hospital, Bathinda
(A unit of Hometrail Buildtech Pvt. Ltd.)
 NH - 64, Near District Civil Hospital,
 Mansa Road, Bathinda, Punjab - 151 001
 For medical service queries or appointments,
 call: +91-164 521 2000

www.maxhealthcare.in

Hometrail Buildtech Pvt. Ltd.
 Regd. Office: N - 110, Panchsheel Park,
 New Delhi - 110 017
 T: +91-11 4609 7254
 E: secretarialhbp1@maxhealthcare.com

(CIN: U45400DL2008PTC176962)




H-2014-230
 Jun 12, 17 - Dec 11, 20
 Since Jun 12, 2014

FORM-1**[See rule 4(0),5(i) and 15(2)]****ACCIDENT REPORTING**

1. Date and time of accident : NIL
2. Type of Accident : NIL
3. Sequence of events leading to accident : NIL
4. Has the Authority of been informed immediately : NIL
5. The type of waste involved in accident : NIL
6. Assessment of the effects of the accidents on
human health and the environment : NIL
7. Emergency measures taken : NIL
8. Steps taken to alleviate the effects of accidents : NIL
9. Steps taken to prevent the recurrence of such
an accident : NIL
10. Does you facility has emergency Control policy?
If yes, give details :

Date: 11-04-2023

Place: Max Hospital, Bathinda

Signature: 



BMW COLLECTION REPORT BATHINDA - 2022

S.No	Year-2022	Yellow Anatomical Waste &		Red Autoclave (Infected Plastic)		Blue Autoclave (Glass-Bottles)		White-Sharp		Yellow Cytotoxic-Cytotoxic		Total Bags	Total Weight (In Kg's)
		No of Bags	Weight (In kg's)	No of Bags	Weight (In kg's)	No of Bags	Weight (In kg's)	No of Bags	Weight (In kg's)	No of Bags	Weight (In kg's)		
1	Jan-2022 BMW	243	1090.22	280	802.50	33	202.60	17	12.31	19	18.45	592	2126.08
2	Jan-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
3	Feb-2022 BMW	132	701.10	229	907.97	27	169.90	19	30.92	13	9.79	420	1819.68
4	Feb-2022 Covid Waste	34	197.46	12	64.42	2	16.31	0	0.00	0	0.00	48	278.19
5	Mar-2022 BMW	142	782.83	153	807.58	34	273.83	63	50.78	2	0.48	394	1915.50
6	Mar-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
7	Apr-2022 BMW	132	701.10	229	907.97	27	169.90	19	30.92	13	9.79	420	1819.68
8	Apr-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
9	May-2022 BMW	152	769.33	136	571.71	22	187.50	18	11.10	15	11.73	343	1551.37
10	May-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
11	Jun-2022 BMW	186	877.35	186	751.84	42	262.59	35	49.60	12	13.44	461	1954.84
12	Jun-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
13	Jul-2022 BMW	231	794.85	313	913.64	38	269.91	26	37.97	12	6.18	620	2022.55
14	Jul-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
15	Aug-2022 BMW	188	819.93	234	976.40	34	244.02	66	56.88	12	7.38	534	2104.61
16	Aug-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
17	Sep-2022 BMW	163	724.31	222	1058.40	32	272.43	15	13.89	12	19.28	444	2088.31
18	Sep-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
19	Oct-2022 BMW	162	687.82	213	1042.15	37	311.22	28	44.52	7	10.16	447	2095.87
20	Oct-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
21	Nov-2022 BMW	170	732.88	180	970.30	26	186.80	22	41.72	7	8.82	405	1940.52
22	Nov-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
23	Dec-2022 BMW	176	794.78	210	1158.71	28	242.53	32	50.91	9	8.65	455	2256.57
24	Dec-2022 Covid Waste	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Total		2111	9673.97	2597	10934.59	382	2809.56	360	431.51	133	124.14	5583	23973.76