

Dated: 12th June 2020

The Regional Officer,

Uttarakhand Environment Protection and Pollution Control Board,

Dehradun, Uttarakhand-248001

Subject: - Regarding submission of Annual return of Bio-medical waste (BMW) for the year -2019

Dear Sir,

With reference to our BMW Authorization No-UEPPCB/HO/BMW-17/2019/443 dated 05/07/2019, we are here by submitting the Annual return of Bio-medical waste (BMW) for the year -2019.

Form IV Attached for reference please.

Thanking you.

Regards

Authorised Signatory



Max Super Speciality Hospital, Dehradun

Near Indian Oil Petrol Pump, Maisi, Mussoorie Diversion Road, Dehradun - 248001. Phone: +91-0135-719 3000

Max Healthcare Institute Limited

(CIN: U72200MH2001PLC322854)

Regd. Office: 167, Floor 1, Plot-167A, Ready Money Mansion, Dr. Annie Besant Road, Worli, Mumbai-400 018

Phone: +91- 22-6660 4447/48/49 E-mail: secretarial@maxhealthcare.com



FY 2019-20													
Month	Year	Red Autoclave (Infected Plastic Waste)		Yellow- Incineration (Anatomical Waste & Soiled Waste)		Blue Autoclave (Glass- Bottles)		Yellow Cytotoxic- Incineration(Cytotoxic Contaminated Items)		White- Sharp		Total Bags	Total Weight (In KG's)
		No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight (in KG's)	No. of Bags	Weight in KG's	Total Bags	Total Weight (In KG's)
Jan	2019	419	2155	470	2548	80	365	0	0	66	131	1035	5199
Feb	2019	260	1374	350	1868	69	298	0	0	40	71	719	3611
Mar	2019	486	1675	464	1710	100	273	86	265	47	94	1183	4017
Apr	2019	343	1022	475	1425	90	270	4	8	97	274	1009	2999
May	2019	478	1441	509	1621	63	216	0	0	110	169	1160	3447
Jun	2019	559	1696	619	1760	115	406	75	75	131	335	1499	4272
Jul	2019	292	863	531	1547	106	326	11	15	68	226	1008	2977
Aug	2019	288	829	364	1061	82	264	0	0	82	226	816	2380
Sep	2019	514	1512	581	1719	121	363	82	246	91	273	1389	4113
Oct	2019	406	1114	517	1507	89	244	38	114	152	456	1202	3435
Nov	2019	284	872	454	1336	45	147	38	113	138	408	959	2876
Dec	2019	386	1158	467	1467	51	187	51	170	123	302	1078	3284
Total		4715	15711	5801	19569	1011	3359	385	1006	1145	2965	13057	42610



Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	DR SANDEEP TANWAR
	(ii) Name of HCF or CBMWTF	:	Max Healthcare Institute LTD
	(iii) Address for Correspondence	:	Mussoorie Division Road, Malsi
	(iv) Address of Facility	:	Near Indian oil Petrol Pump, Simla
	(v) Tel. No, Fax. No	:	DEHRADUN UK
	(vi) E-mail ID	:	Narender Sawat @ max healthcare . com
	(vii) URL of Website	:	WWW. maxhealthcare. in
	(viii) GPS coordinates of HCF or CBMWTF	:	LET - 30.1653 Long 78.0266
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) PRIVATE
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: UE/PPCB/HO/BMW-17/2019/443 05/07/2019 Valid upto: 31/03/2021
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: Consent No - 39419 Dtd 03/04/20 VALID UPTO - 30/06/2020
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 200
	(ii) Non-bedded hospital	:	NA
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	DRA/CEA/PVT/29/OCT/2016 dated 06/10/2017
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	MPCC, Bhagwanpur Roorki
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 1714.58 KG Red Category: 1309.25 KG White: 247.08 KG Blue Category: 279.92 KG General Solid Waste:
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size:

facility		Capacity:			
		Provision of on-site storage : (Cold storage or any other provision)			
(ii)	Disposal facilities				Quantity Treated or disposed in kg per annum
		Type of treatment equipment	No of Units	Capacity Kg/day	
		Incinerators			
		Plasma Pyrolysis			
		Autoclaves			
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer			
		Sharps			
		Encapsulation or concrete pit			
		Deep burial pits			
		Chemical disinfection:			
		Any other treatment equipment:			
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	Red Category (like plastic, glass, etc.)			
(iv)	No. of Vehicles used for collection and transportation of biomedical waste	01			
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
		Incineration			
		Ash			
		ETP Sludge			
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Medical Pollution Control Committee (MPCC), Bhagwanpur, Roorkee Uttarakhand			
(vii)	List of member HCF not handed over bio-medical waste.				
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes (Attached)			



7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		72
	(ii) Number of personnel trained		800
	(iii) Number of personnel trained at the time of induction		Everyone at the time of joining
	(iv) Number of personnel not undergone any training so far		NA
	(v) Whether standard manual for training is available?		Yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		No
	(ii) Number of persons affected		No
	(iii) Remedial Action taken (Please attach details if any)		No
	(iv) Any Fatality occurred, details		No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes
	Details of Continuous online emission monitoring systems installed		Yes
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

(JAN-2019 - Dec 2019.)

Name and Signature of the Head of the Institution

Date: Dehradun (UK)

Place: 13/06/2020

