

Date: 23rd May 2024

To,
The Regional Officer,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Bays No. 24-25, Sector 31-A,
Dakshin Marg, Chandigarh-160030

Sub: Submission of Six-Monthly Environmental Clearance Compliance Status Report for the period of Oct'23-March'24.

Ref.: Environmental Clearance (EC) to the proposed Project Activity of MAX HEALTHCARE INSTITUTE LIMITED under the provision of EIA Notification 2006. EC letter no- EC22B038HR190083 dated 07.12.2022

Sir,
We are herewith submitting the point wise compliance report of Environmental clearance conditions of proposed Max Super Specialty Hospital at Sector 56, Gurgaon, Haryana for the period of Oct'23-March'24.

Kindly acknowledge the same.

Thanking You,
Yours faithfully,
For Max Super Specialty Hospital
Sector 56, Gurgaon, Haryana.

Authorized Signatory

Encl: a/a

CC to:

- Chairman, State Environment Impact Assessment Authority, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana
- Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.

Your (Environment Clearance) application has been Submitted with following details	
Proposal No	SIA/HR/MIS/271568/2022
Compliance ID	70467784
Compliance Number(For Tracking)	EC/M/COMPLIANCE/70467784/2024
Reporting Year	2024
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	29-05-2024
IRO Name	Santosh Tiwari
IRO Email	bh158@ifs.nic.in
State	HARYANA
IRO Office Address	Integrated Regional Offices, Chandigarh
Note:- SMS and E-Mail has been sent to Santosh Tiwari, HARYANA with Notification to Project Proponent.	

Point wise compliance report of Environment Clearance vide no. EC22B038HR190083 dated 07.12.2022

A. Specific Condition

S.no	Condition	Status
1	Sewage shall be treated in the STP on latest Technology to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing. DG cooling and Gardening.	We will install Membrane based STP to treated the wastewater. Treated wastewater will be used in flushing, gardening and cooling purpose.
2	The PP should not mix the ETP effluent after treatment in the STP and ETP effluent shall be separately utilized for the purposes	ETP effluent will be treated separately and will be disposed through thermal evaporator.
3	The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coli forms and other pathogenic bacteria.	Regular monitoring of STP treated waste water will be carried out as per defined guidelines.
4	The PP shall ensure that total 2% of the cost of project shall be spent on EMP Budget. However, the amount and component shown in EMP table above shall also be included for the purpose of 2% amount. The EMP cost on Socio Economic activities shall be used before the commencement of the project & EMP recurring inside the project shall be implemented throughout the operation of the project. The PP shall establish Environment monitoring cell as per documents submitted.	Necessary fund will be utilized as per the applicable EMPs. All activities related to environment will be monitored through dedicated environment cell.
5	The PP shall not carry out any construct above and below revenue rasta if passing through the project and ensure that permission of the competent authority shall be obtained before carry out any construction above or below the revenue rasta. The PP shall put notice board on the revenue rasta for the passer byes.	Noted and will be ensured.
6	The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	This will be ensured.
7	The Project Proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	Noted and will be ensured.

8	Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to solid waste dumping site through authorized vender.	Noted and will be ensured. Adequate area as marked in site plan will be used for waste storage.
9	Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time	This will be ensured.
10	No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 6,440m ² (@30.31 % of Plot Area) shall be provided for Green Area development for whole project, excluding plot areas. The PP shall carry out the plantation in phased manner with 20% every year from the date of start of construction.	Two plants have been relocated for construction purpose. For this necessary approvals has been taken. Copy of tree cutting permission is attached as <u>Annexure-1.</u>
11	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted and will be ensured.
12	Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974.	We have obtained Consent To Establish from State Pollution Control Board. For the construction. Consent no. HSPCB/Consent/ : 313099722GUNOCTE28646595 dated 20.12.2022. Copy of CTE is attached as <u>Annexure-2.</u>
13	The Approval of the Competent Authority shall be obtained for structural safety of building code due to	Noted and will be ensured.

	earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightening etc.	
14	The PP shall obtain the Fire NOC from the Competent Authority before taking the occupation of the building.	Noted and will be ensured.
15	The PP shall install the Eco Friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas-based generator set when the gas is available. The PP shall install APCM for the DG set. The PP shall reduce the SO2 load by 30% if HSD is used. The DG sets will be operated for maximum 04 hours during power failure through Executing Agency	Noted and necessary action will be taken in this regard.
16	The PP shall not mix ETP treated effluent with STP water	Noted
17	The PP Shall comply with SOP for reduction of Air and Noise pollution during construction and operation phase	Noted
18	The PP shall increase the capacity of ETP	Noted and will be enhance the capacity 25 % more against the generated waste water quantity.
19	The PP shall increase solar power upto 5% of total power demand	Noted and will be ensured.
20	The PP shall follow SOP regarding single use plastic free	Noted and will be ensured.
21	The PP shall follow the SOP for reduction of carbon footprints	Noted and will ensured.
22	The PP shall adopt and maintain one external pond(Sarai Alawardi Pond, 02- HRGGM-GUR-0002-SAWD-001 - UID) for its rejuvenation.	We visited this pond for rejuvenation but found that this is already rejuvenated by other agency. So we requested to Pond authority as well as SEIAA-Haryana. Pond Authority given us another pond at Mankrola. Copy of approval is attached as Annexure-3 WIP for commercial.
23	The PP shall obtain the permission regarding withdrawal of ground water, if any from HWRA/CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from HWRA/CGWA.	We will obtain the necessary approvals for ground water abstraction, if ground water is required. Necessary CTO will be obtained before start of operation.
24	The PP shall carry out the quarterly awareness programs for the stakeholders of the project.	Noted and will be ensured.
25	04 Rain water harvesting recharge pits shall be provided for ground water recharging as per the CGWB norms.	Noted and will be ensured.
26	The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of 04 RWH pits.	Noted and will be ensured.
27	The PP shall ensure the compliance of provisions of Plastic Waste Management (Amendment) Rules, 2022 relevant for the project.	Noted and will be ensured.
28	The PP may provide electric charging stations to facilitate electric vehicle commuters.	Noted and will be ensured.

29	The PP shall provide the Anti smog gun mounted on vehicle in the project for suppression of dust during construction & operational phase and shall use the treated water, if feasible.	Noted and will be ensured.
30	The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.	Noted and will be ensured.
31	Any change in stipulations of EC will lead to Environment Clearance void-ab- initio and PP will have to seek fresh Environment Clearance.	Noted and will be ensured.
32	PP shall maintain 30.31% of the Plot area as Green Area i.e. 6440 Sqm (as offered in the proposal & committed the same at the time of presentation before the Appraisal Committee). The same shall not be reduced/ modified or put to use for any other use / purpose.	Noted and will be ensured.
33	PP shall make efforts to develop <u>“Miyawaki Forest”</u> , in all corners of the Project Land/ Area.	Noted and will be ensured.
34	PP shall make arrangements for the <u>“Quick and Safe disposal of Anti-biotic Waste” by following the relevant guidelines</u>	Noted and will be ensured.

B. Statutory Compliance

S.No	Condition	Status
1	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by Competent Authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted and will be ensured.
2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Noted and will be ensured.
3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	Noted and will be ensured.
4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	This is not applicable.
5	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board.	We have obtained Consent To Establish from State Pollution Control Board. For the construction. Consent no. HSPCB/Consent/:313099722GUNOCTE28646595 dated

		20.12.2022. Copy of CTE is attached as Annexure-2 .
6	The project proponent shall obtain the necessary permission for drawl of ground water /surface water required for the project from the competent authority.	We will obtain the necessary approvals for ground water abstraction, if ground water is required.
7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	We obtained the temporary water connection for the construction purpose. Necessary approvals will be taken for operation phase.
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Noted and will be ensured.
9	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, the Plastics Waste (Management) Rules, 2016 and Batteries waste (Management Handling Rules 2001 as amended in 2020) shall be followed.	Noted and will be ensured.
10	The project proponent shall follow the ECBC Act/ECBC-Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government.	Noted and will be ensured.

I. Air Quality Monitoring and Preservation

S.No	Condition	Status
1	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Noted and will be ensured.
2	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	Noted and will be ensured.
3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period.	
4	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of ultra lowsulphur diesel. The location of the DG sets	Noted and will be ensured.

	may be decided with in consultation with State Pollution Control Board	
5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Necessary barricading have been provided at site. Photos are attached as Annexure-4 .
6	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted and will be ensured.
7	Wet jet shall be provided for grinding and stone cutting.	Noted and will be ensured.
8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Noted and will be ensured.
9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	Noted and will be ensured.
10	The diesel generator sets to be used during construction phase shall be ultra low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Noted and will be ensured.
11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Noted and will be ensured.
12	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted and will be ensured.

II. Water Quality Monitoring and preservation

S.No	Condition	Status
1	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage	Noted and will be ensured.

	systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	
2	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted and will be ensured.
3	Total fresh water use shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA Notification dated 12.12.2018.	Noted and will be ensured.
4	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and will be ensured.
5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Noted and will be ensured.
6	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted and will be ensured.
7	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted and will be ensured.
8	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted and will be ensured.
9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted and will be ensured.
10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted and will be ensured.
11	The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban	Noted and will be ensured.

	Development Model Building Byelaws, 2016. Rain Water Harvesting pits shall be provided for ground water recharging as per the CGWB norms.	
12	A rain-water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	
13	All recharge should be limited to shallow aquifer.	Noted and will be ensured.
14	No ground water shall be used during construction phase of the project.	Noted and will be ensured.
15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Noted and will be ensured.
16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and will be ensured.
17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	
18	No sewage or untreated effluent water would be discharged through storm water drains.	
19	Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste-water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Noted and will be ensured.
20	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Noted and will be ensured.

21	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Noted and will be ensured.
----	---	----------------------------

III. Noise Monitoring and Prevention

S.No	Condition	Status
1	Ambient noise levels shall conform to residential area/commercial area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Noted and will be ensured.
2	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noted and will be ensured.
3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted and will be ensured.

IV. Energy Conservation measure

S.No	Condition	Status
1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also which is in no case should be less than 25% as prescribed.	Noted and will be ensured.
2	Outdoor and common area lighting shall be LED.	Noted and will be ensured.
3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U- values shall be as per ECBC specifications.	Noted and will be ensured.

4	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Noted and will be ensured.
5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.	Noted and will be ensured.
6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted and will be ensured.
7	The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component.	Noted and will be ensured.

V. Waste Management

S.No	Condition	Status
1	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted and will be ensured.
2	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted and will be ensured.
3	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted and will be ensured.
4	Organic Waste Converter within the premises with a minimum capacity of 0.5 kg /person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.	Noted and will be ensured.
5	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted and will be ensured.
6	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and	Noted and will be ensured.

	norms with necessary approvals of the State Pollution Control Board.	
7	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Noted and will be ensured.
8	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	Noted and will be ensured.
9	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Noted and will be ensured.
10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted and will be ensured.

VI. Green Cover

S.No	Condition	Status
1	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).	Two plants have been relocated for construction purpose. For this necessary approvals has been taken.
2	A minimum of 1 tree (5' tall) for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted and will be ensured.
3	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Two plants have been relocated for construction purpose. For this necessary approvals has been taken.

4	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted and will be ensured.
---	--	----------------------------

VII. Transport

S.No	Condition	Status
1	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.	Noted and will be ensured.
i	Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.	Noted and will be ensured.
ii	Traffic calming measures.	Noted and will be ensured.
iii	Proper design of entry and exit points.	Noted and will be ensured.
iv	Parking norms as per local regulation.	Noted and will be ensured.
2	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Noted and will be ensured.
3	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	Noted and will be ensured.

VIII. Human Health Issues

S.No	Condition	Status
1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	This is being ensured.
2	For indoor air quality the ventilation provisions as per National Building Code of India.	This is being ensured.
3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	This is being ensured.
4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	This is being ensured.
5	Occupational health surveillance of the workers shall be done on a regular basis.	This is being ensured.
6	A First Aid Room shall be provided in the project both during construction and operations of the project.	This is being ensured.

IX. Corporate Environment Responsibility

S.No	Condition	Status
1	The project proponent shall comply with the provisions of CER, as applicable.	Noted and will be ensured.
2	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Copy of environmental policy is attached as Annexure-5
3	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Noted and will be ensured.

4	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Noted and will be ensured.
---	--	----------------------------

X. Miscellaneous

S.No	Condition	Status
1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	We published the EC letter in two local newspaper. Copy of advertisement is attached as <i>Annexure-6</i> .
2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Noted and will be ensured.
3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	This is being ensured.
4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	This is being ensured.
5	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	This is being ensured.
6	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted and will be ensured.

7	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	This is being ensured.
8	The project proponent shall abide by all the commitments and recommendations made in the form-IA, Conceptual Plan and also that during their presentation to the Expert Appraisal Committee.	This is being ensured.
9	No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage there is change of area of this project.	Noted and will be ensured.
10	Any change in planning of the approved plan will leads to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance	Noted and will be ensured.
11	The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for Environment Clearance to SEIAA.	Noted and will be ensured.
12	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted and will be ensured.
13	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and will be ensured.
14	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted and will be ensured.
15	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted and will be ensured.
16	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted and will be ensured.

17	The validity of this environment clearance letter is valid up to 10 years from the date of issuance of EC letter in accordance with the MoEF & CC, GoI Notification No. S.O.1807 (E), dated the 12th April, 2022. The environment clearance conditions applicable till life space project will continue to apply. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.	Noted and will be ensured.
18	If project is not completed within the validity period then the project proponent shall submit the application for extension of validity within one month before the lapse of validity period of Environment Clearance i.e. 10 years.	Noted and will be ensured.
19	The Project Proponent should intimate to the Authority as well as to the quarter concerned in case of any change in the present communication address.	Noted and will be ensured.



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	दर मरडल कौशिक Dr Mradal Kaushik
संगठन का नाम Organisation Name	M/s Max Healthcare Institute Ltd
वर्तमान पता Current Address	Gautam Colony Narela, North West Delhi
भूमि स्थान Land Location	WAZIRABAD , Gurgaon (Haryana),
भूमि मापन Land Measurements	5.25(Acre)
खसरा/ प्लॉट नम्बर Khasra/Plot Number	115(0-5), 116(0-13), 117(1-9), 118 (1-7), 119(3-8), 123(3-2), 124(0-18), 126(3-5), 127(4-2)
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-YCX-WC3-TERX

जारी करने की तिथि / Date of Issuance: 28-04-2023

जारी करने का स्थान / Place of Issuance: Gurgaon

जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/YCXWC3TERX>



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Kikar	0	1	0	0	0	0	0	0	1	0.14
Neem	1	0	0	0	0	0	0	0	1	0.06
A. Tortlis (2 Tree Jointly Standing)	1	1	0	0	0	0	0	0	1	0.28
A. Tortlis	0	0	1	0	0	0	0	0	1	0.57
Alanthus	0	0	1	0	0	0	0	0	1	0.57
Sahtoot	1	0	0	0	0	0	0	0	1	0.06
Pipal	0	1	0	1	0	0	0	0	2	1.27
Total	2	3	2	1	0	0	0	0	8	2.95

जारी करने की तिथि / Date of Issuance: 28-04-2023
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/YCXWC3TERX>



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Dr Mradal Kaushik located at village Wazirabad district Gurgaon made a proposal to fell trees on this land with Khasra/ Plot number -.
The report submitted by RFO, Karamvir Malik dated 14-04-2023.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.
2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.
3. No dragging of wood will be permitted.
4. Felling after sun set and before the sun rise will not be permitted.
5. No fire will be allowed.
6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.
7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.
8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.
9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.
10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.
11. No separate permit for timber transit as per Indian Forest Act, 1927 is required within the territory of Haryana.
12. Permission Is Granted As Per Recommendation Of Dfo Subject To The Condition That The User Agency Will Plant Ten Times Of Felling Trees I.e. 7x10=70 And 02 Ficus Tree To Be Transplanted.permission Valid For Three Month After Issu Date.



Date: 28-04-2023
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/YCXWC3TERX>



HARYANA STATE POLLUTION CONTROL BOARD

HSPCB Gurgaon North Vikas Sadan, 1st Floor, Near DC Court,

Gurgaon Ph.0124-2332775 Email:-

hspcbrogrn@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73



No. HSPCB/Consent/ : 313099722GUNOCTE28646595

Dated:20/12/2022

To.

M/s : **Proposed Max Super Speciality Hospital** by Max Healthcare Institute Limited
Sector-56, Gurgaon, Haryana
GURGAON
122011

Sub. : Grant of consent to Establish to M/s Proposed Max Super Speciality Hospital by Max Healthcare Institute Limited

Please refer to your application no. 28646595 received on dated 2022-12-09 in regional office Gurgaon North.

With reference to your above application for consent to establish, M/s Proposed Max Super Speciality Hospital by Max Healthcare Institute Limited is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	20/12/2022 - 06/12/2032
Industry Type	Health -care Establishment / Projects having discharge of 100 KLD or More with or Without Incinerator
Category	RED
Investment(In Lakh)	48484.0
Total Land Area (Sq. meter)	21245.56
Total Builtup Area (Sq. meter)	74307.44
Quantity of effluent	
1. Trade	22.0 KL/Day
2. Domestic	217.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	STP
2. Trade	ETP
Permissible Domestic Effluent Parameters	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	20 mg/l

4. Total Nitrogen	10 mg/l
5. Total Phosphorus	1 mg/l
6. Faecal Coliform (MPN/100ml)	Less than 100
7. pH	5.5-9.0
Permissible Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0
Number of stacks	1
Height of stack	
1. Stack to DG sets 1500 KVA x 3	6 METER
Permissible Emission parameters	
1. NA	
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	22.2 KL/day

Regional Officer, Gurgaon North
Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 239 KL/Day i.e 22KL/Day for Trade Effluent, 0 KL/Day for Cooling, 217 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production

6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.

23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :



1. The project proponent will obtain all necessary clearances from all concerned departments
2. Project proponent will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board. Project Proponent will obtain prior CTO before starting of production and apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE.
3. Project Proponent will install STP/ETP/APCM along with the main project.
4. Project Proponent will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules.
5. Project Proponent will comply with the provisions of Water Act, 1974, Air Act, 1981, Solid Waste Management Rules, 2016, Hazardous & Other Waste Management Rules, 2016, Plastic Waste Management Rules, 2016, E-Waste Management Rules, 2016, Battery Managements Rules, C&D Waste Management Rules, 2016& amendments and other applicable environmental legislation.
6. Project Proponent will use only treated effluent supplied from Sewage treatment plant during construction phase of the project
7. That this CTE will not provide any relaxation /benefit from any other Act/Rules/Regulations applicable to the project/land in question.
8. Project Proponent will not discharge any type Treated or untreated effluent outside the premises of the project.
9. Project Proponent will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc.
10. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants.
11. Effective fugitive emission control measures should be imposed in the process, transportation, parking etc.
12. Encourage use of cleaner fuels (pet coke / furnace oil /LSHS may be avoided).
13. Best available technology may be used. For example usage of EAF/SAF/IF in place of Cupola Furnace, Usage of Supercritical technology in place of sub – critical technology.
14. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible.
15. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.
16. Assessment of carrying capacity of transportation load on the roads inside the industrial premises. If the roads required to be widened, shall be prescribed as a condition.
17. Project Proponent will not discharge any type of effluent inside & outside of the premises of the project and reuse/recycle of treated waste water be ensured.
18. Continuous monitoring of emission and effluent quality / quantity to be installed & will connect the same with server of CPCB and HSPCB.
19. A detailed water harvesting plan may be submitted by the project proponent.
20. Project Proponent will achieve zero discharge and install latest technology of STP/ETP and reuse/recycle of treated effluent.
21. In case, domestic waste water generation is more than 10 KLD, the industry may install STP.
22. Dumping of waste (fly ash, slag, red mud etc.) may be permitted only at designated locations approved by SPCBs/PCCs.
23. More stringent norms for management of hazardous waste. The waste generated should be preferably utilized in co-processing.
24. Monitoring of compliance of EC conditions may be submitted with third party audit every year.
25. Project Proponent will dispose off their waste/spent oil of DG sets only to authorize recyclers by the HSPCB.
26. The % of the CER may be least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
27. Project proponent will comply all the directions of CPCB in this regard and will comply all the orders issued by any court in this regard.
28. Project Proponent will submit an affidavit regarding compliance of above said conditions within 30 days.
29. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
30. Unit will deploy anti –smog guns at site to comply with the above said directions & keep proper record of operation of the same and submit action taken report to this office within 03 days positively, failing which action shall be initiated as per applicable Acts/ Rules /Notifications.
31. Project proponent will comply with all the conditions mentioned in Environmental Clearance granted vide letter dated 03.09.2014 and submit the compliance of the same within 90 days to this office.
32. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted is without prejudice to any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation is observed at any stage.
33. The Project Proponent/unit will not claim any benefits on the basis of this CTE in respect of past violation committed by them
34. This CTE is valid only valid for the area for which unit has obtained License from DTCP and Aravali clearance from Deputy Commissioner.
35. Unit will not do any construction work in their project without obtaining valid renewed license from DTCP and CTE/CTE extension will be become null and void if unit fails to renew DTCP license.
36. Unit will deposit environmental compensation as and when it will be finalized by HSPCB.
37. This CTE is granted to the unit would not provide any relief and immunity in prosecution action against the unit under Water Act and Air Act .This CTE is without prejudice to the action to be taken in respect of any violation found at any stage and time and this CTE also do not grant any relief to the unit in matter of applicable actions / penal proceedings under water act , Air act ,EP act including forfeiture of performance security,if any
38. At any stage, if any violation observed of any above conditions at any time, this CTE stands cancelled /revoked & further action will be taken as per law if any violation is observed at any stage.

Regional Officer, Gurgaon North
Haryana State Pollution Control Board.



propriately, pushed her and in the scuffle, took away the advocate's chain and locket, the court said noting

tion said. The counsel for Hameeda said the accused was falsely implicated in the case. — PTI

MAX HEALTHCARE INSTITUTE LIMITED

Public Notice

ENVIRONMENT CLEARANCE

It is for the information of the General Public that Max Healthcare Institute Limited has been granted Environmental Clearance by SEIAA, Haryana for MAX Super Speciality Hospital located at Sector-56, Gurugram, Haryana vide EC Identification No. EC22B038HR190083 & File No. SEIAA/HR/2022/184 dated 06/05/2022.

The copy of the Environmental Clearance along with the conditions to be compiled is available with Environmental Clearance Parivesh portal and the Project Proponent Max Healthcare Institute Limited.

The interested person can also contact the following:

Max Healthcare Institute Limited

2nd Floor, Capital Cyberscape, Gurugram, Haryana 122102

Phone: 0124 620 7500

epaper.tribuneindia.com

SANJA

GURUG

Gurug

numb

contin

proper

Wron

hurdle

as the

ing, ap

of Gu

Devel

(GMD

partne

ti-level

ipal Co

The Tribune

GURUGRAM | MONDAY | 12 DECEMBER 2022

1919 मुख्यतः राजस्थान एक बैंकवेट हॉल में आयोजित जिला स्तरीय कार्यकर्ता सम्मेलन को संबोधित कर रहे थे।

मलिक ने कहा कि भारत जोड़ो यात्रा को लेकर प्रत्येक वर्ग

करनाया, पार्षद कांग्रेस नेता सुरेंद्र छिक्कारा यूथ कांग्रेस जिलाध्यक्ष ललित पंवार तथा मनोज रिढाऊ समेत काफी संख्या में कार्यकर्ता और पदाधिकारी मौजूद रहे।

जाना है। इस यात्रा में एक नयी तरह का आ रही है। राहुल गांधी राजनीतिक दृष्टि से है। हरियाणा में दिसंबर को प्रवेश करे

मैक्स हेल्थकेयर इंस्टीट्यूट लिमिटेड

सार्वजनिक सूचना पर्यावरण मंजूरी

आम जनता को सूचित किया जाता है कि मैक्स हेल्थकेयर इंस्टीट्यूट लिमिटेड को एसईआईएए, हरियाणा द्वारा सेक्टर -56, गुरुग्राम, हरियाणा में स्थित मैक्स सुपर स्पेशियलिटी हॉस्पिटल के लिए ईसी पहचान संख्या EC22B038HR190083 और फ़ाइल संख्या के माध्यम से पर्यावरण मंजूरी प्रदान की गई है। एसईआईएए/एचआर/2022/184 दिनांक 06/05/2022।

संकलित की जाने वाली शर्तों के साथ पर्यावरण मंजूरी की प्रति पर्यावरण मंजूरी परिवेश पोर्टल और परियोजना प्रस्तावक मैक्स हेल्थकेयर इंस्टीट्यूट लिमिटेड के पास उपलब्ध है।

इच्छुक व्यक्ति निम्नलिखित से भी संपर्क कर सकता है:

मैक्स हेल्थकेयर इंस्टीट्यूट लिमिटेड
दूसरी मंजिल, कैपिटल साइबरस्टेप, गुरुग्राम, हरियाणा 122102
फ़ोन: 0124 620 7500

epaper.dainiktribuneonline.com

यात्रा व

नारनौल (हप्र): हरियाणा नारनौल में प्रदेश कांग्रेस कार्यकर्ता सम्मेलन का जोड़ो यात्रा के जिला सम्मेलन का आयोजन विधायक राधेश्याम शर्मा मंत्री राव नरेंद्र सिंह ने हरियाणा आ रही भा. सांसद दीपेंद्र हुड्डा व नारनौल के पीडब्ल्यू

दैनिक ट्रिब्यून, गुरुग्राम, सोमवार, 12 दिसंबर, 2022

हरियाणा का दूर